



NOTES:

1. FINGER TIGHTEN HARDWARE



3	0934-M12-8-A2F	HEXAGON NUT DIN934-M12-A2F	1	PC
2	0127-A12-FST-A2F	SPRING WASHER A12 DIN127 FD.ST.VERZINKT	1	PC
1	017120-080N	RUBBER BUFFER Ø80 M12X37 NK 71 SHORE A	1	PC
ITEM	MATERIAL NO. 2		QTY.	UNIT

STATUS: RELEASED		DESCRIPTION: BUFFER WITH FASTENERS	
ER NO.	-	INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-1994	<div>PROPRIETARY AND CONFIDENTIAL</div> <div>This drawing and the information shown constitute trade secret and confidential property of Conductix, Inc. It is subject to recall, and is loaned for use only in connection with the authorized manufacture or installation of Conductix, Inc. products, and on the condition that it will be treated as confidential and will not be disclosed, published or reproduced in whole or in part, or permitted to be viewed or used by any other party, without specific written permission. Receipt and use of the drawing and information constitutes acceptance and agreement to the above.</div> <div><div>10102 F Street Omaha, NE 68127 800-521-4888</div></div>
ER DATE:	-	UNLESS OTHERWISE SPECIFIED	
ER ENGR:	-	PRIMARY UNITS ARE IN INCH POUND	
ER APPR:	-	SECONDS SECONDARY UNITS IN MILLIMETERS KILOGRAMS SECONDS	
DRAWN:	J PASA	TOLERANCES ARE AS FOLLOWS	<div>MATERIAL NO. 2:</div> <div>017120-080N-1</div> <div>REV 0</div>
APPR:	10/15/2010	DECIMAL=	
		X.X ± 0.1 IN (2.5 MM)	<div>CAD SYSTEM: SOLIDWORKS</div> <div>SIZE A</div> <div>SCALE: 1:2</div> <div>WEIGHT(REF): 0.67 LB</div> <div>MAT'L:</div>
		X.XX ± 0.03 IN (0.8 MM)	
		X.XXX ± 0.010 (0.25 MM)	
		ANG. ± 1°	
		FRACTION: 1/16	<div>SHEET 1 OF 1</div>
		THREAD CLASS: 2	
		MINIMUM MACHINED SURFACE	
		250	