


NOTES:

1. FINISH: PLATE PER ES-P106.






| | | | |
|----------------|---------------------|------|------|
| XA-28469 | BAR 3/8 X 1-1/4 HRS | 1.26 | FT |
| MATERIAL NO. 2 | DESCRIPTION | QTY | UNIT |

| | | | | |
|---|---|--|--|---|
| STATUS: RELEASED | DESCRIPTION: BRACKET 4C 1.69 CTRS PS LATL MT | <small>PROPRIETARY AND CONFIDENTIAL</small> This drawing and the information shown constitute trade secret and confidential property of Conductix, Inc. It is subject to recall, and is loaned for use only in connection with the authorized manufacture or installation of Conductix, Inc. products, and on the condition that it will be treated as confidential and will not be disposed, published or reproduced in whole or in part, or permitted to be viewed or used by any other party, without specific written permission. Receipt and use of the drawing and information constitutes acceptance and agreement to the above. | | 10102 F Street Omaha, NE 68127 800-521-4888 |
| ER NO: 56021 | <small>INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-1994</small> <small>UNLESS OTHERWISE SPECIFIED</small> <small>PRIMARY UNITS ARE IN INCH POUND</small> <small>SECONDS SECONDARY UNITS IN</small> <small>MILLIMETERS KILOGRAMS SECONDS</small> <small>TOLERANCES ARE AS FOLLOWS</small> DECIMAL = X.X ± 0.1 IN (2.5 MM) X.XX ± 0.03 IN (0.8 MM) X.XXX ± 0.010 (0.25 MM) ANG. ± 1/16 FRAC. ± 1/16 THREAD CLASS: 2 | | | |
| DRAWN: J NEUMANN 01/24/2013 APPR: M MACDONALD 01/24/2013 | SIZE A SCALE: 1:2 WEIGHT(REF): 1.92 LB MAT'L: Plain Carbon Steel | SHEET 1 OF 2 | | |

NOTES:

1. FLAT PATTERN FOR CONDUCTIX FABRICATION ONLY.
VENDOR TO DETERMINE BLANK SIZE.



| | | | |
|---|------------------------|---|-----------------------------|
| STATUS: RELEASED | | DESCRIPTION: BRACKET 4C 1.69 CTRS PS LATL MT | |
| ER NO: | 56021 | <small>INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-1994 UNLESS OTHERWISE SPECIFIED PRIMARY UNITS ARE IN INCH POUND SECONDS SECONDARY UNITS IN MILLIMETERS KILOGRAMS SECONDS TOLERANCES ARE AS FOLLOWS DECIMAL = X.X ± 0.1 IN (2.5 MM) X.XX ± 0.03 IN (0.8 MM) X.XXX ± 0.010 (0.25 MM) ANG. ± 1' FRAC. ± 1/16 THREAD CLASS: 2</small> | |
| ER DATE: | 01/24/2013 | <small>PROPRIETARY AND CONFIDENTIAL This drawing and the information shown constitute trade secret and confidential property of Conductix, Inc. It is subject to recall, and is loaned for use only in connection with the authorized manufacture or installation of Conductix, Inc. products, and on the condition that it will be treated as confidential and will not be disposed, published or reproduced in whole or in part, or permitted to be viewed or used by any other party, without specific written permission. Receipt and use of the drawing and information constitutes acceptance and agreement to the above.</small> | |
| ER ENGR: | J NEUMANN |  | |
| ER APPR: | M MACDONALD | <small>10102 F Street Omaha, NE 68127 800-521-4888</small> | |
| DRAWN: | J NEUMANN 01/24/2013 | <small>MATERIAL NO. 2:</small> | |
| APPR: | M MACDONALD 01/24/2013 | XA-544093 | |
| <small>MINIMUM MACHINED SURFACE</small>  | | <small>REV</small> 0 | |
| <small>SIZE</small> A | | <small>SCALE:</small> 1:2 | |
| <small>WEIGHT(REF):</small> 1.92 LB | | <small>MAT'L:</small> Plain Carbon Steel | |
| | | | <small>SHEET</small> 2 OF 2 |